

477 W. Horton Rd. Bellingham, WA 98226 Phone (360) 933-4892 Fax (360) 933-1197

| Patient Name: | |
|----------------|---------|
| Date of Birth: | Weight: |
| IV Access: | Height: |
| Allergies: | |

Methylprednisolone (Solu-Medrol) Order Form

Please fax this form, copies of insurance cards, demographics, and supporting clinical documentation to (360) 933-1197 to facilitate an efficient referral. Thank you for choosing Infusion Solutions!

| <u></u> | | |
|---|--|----------------|
| <u>Diagnoses:</u> | ☐ Multiple Sclerosis, Relapsing remitting | ICD-10: G35.A |
| | ☐ Multiple Sclerosis, Active primary progressive | ICD-10: G35.B1 |
| | ☐ Multiple Sclerosis, Active secondary progressive | ICD-10: G35.C1 |
| | ☐ Multiple Sclerosis, Unspecified | ICD-10: G35.D |
| | | ICD-10: |
| | | ICD-10: |
| Medication (| Orders: | |
| ■ Methy | Iprednisolone 1 gram IV every 24 hours for 3 days | |
| ■ Methy | lprednisolone IV every | for |
| Other: | | |
| Alteplase 2mg IV to declot central IV access per Infusion Solutions protocol as needed for occlusion. Flush line with 0.9% NaCl, D5W and/or Heparin 10 units/ml or 100 units/ml per Infusion Solutions protocol. Lidocaine 1% - up to 0.2ml intradermally PRN (may buffer with sodium bicarbonate 8.4% in 10:1 ratio). Infusion Reaction Management per Infusion Solutions protocol as needed. | | |
| Nursing Ord | <u>ers:</u> | |
| ◆ If no central IV access, RN to insert peripheral IV, rotate site as needed, and remove at end of therapy. | | |
| ☐ Other: | | |
| | | |
| Lab Orders: | | |
| Prescriber s | | Date |

KEY: ♦ Orders are initiated unless crossed out by provider.

☐ Check box to initiate order.